Printed by EAST

UserID: dmariam

Computer: WS07216

Date: 7/5/07

Time: 11:14 AM

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	5477	(382/128,154,204,254,311).CCLS.	US-PGPUB; USPAT	2007/07/05 11:01	
2	IS&R	L2	3720	(345/419-420).CCLS.	US-PGPUB; USPAT	2007/07/05 11:02	
3	IS&R	L3	417	(345/424).CCLS.	US-PGPUB; USPAT	2007/07/05 11:02	
4	BRS	L4	1004	345/424	US-PGPUB; USPAT	2007/07/05 11:02	
5	BRS	L5	6838	(multidimension$2 or multi-dimension$2 or three-dimension$2 or (three adj dimension$2)) same (two-dimension$2 or two-dimension$2 or 2d) same imag$3 same (render$3 or display$3)	US-PGPUB; USPAT	2007/07/05 11:09	
6	BRS	L6	115	5 same ((perspectiv$3 or observ$6 or view$3) near5 (axis or orientation$1))	US-PGPUB; USPAT	2007/07/05 11:09	
7	BRS	L7	27	6 same (volume or organ or heart or lung or structure$1 or vein$1 or arter$3 or ventricle$1)	US-PGPUB; USPAT	2007/07/05 11:10	
8	BRS	L8	27	7 same (diagnostic$5 or imag$3)	US-PGPUB; USPAT	2007/07/05 11:11	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
9	BRS	L9	18	8 same (operator$2 or physician or doctor or radiologist or user$2)	US-PGPUB; USPAT	2007/07/05 11:12	
10	BRS	L10	3	1 and 9	US-PGPUB; USPAT	2007/07/05 11:12	
11	BRS	L11	4	2 and 9	US-PGPUB; USPAT	2007/07/05 11:13	
12	BRS	L12	2	4 and 9	US-PGPUB; USPAT	2007/07/05 11:13	

Printed by EAST

UserID: dmariam

Computer: WS07216

Date: 7/5/07

Time: 6:21 PM

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	76	((operator$2 or user$2 or physician$2 or diagnos$5 or individual$2) near5 (prefer$5 or desir$2 or select$5)) same (view$3 near3 (axis or orientation or direction$1)) same (multidimension$2 or multi-dimension$2 or three-dimension$2 or (three near1 dimension$2)) same imag$3	US-PGPUB; USPAT	2007/07/05 17:56	
2	BRS	L2	9	1 same (combin$6 or link$4 or composit$3 or fus$3 or merg$3 or blend$3)	US-PGPUB; USPAT	2007/07/05 16:46	
3	BRS	L3	0	2 same (2d or (two near1 dimension42))	US-PGPUB; USPAT	2007/07/05 16:47	
4	BRS	L4	8	2 same (render$3 or display$3)	US-PGPUB; USPAT	2007/07/05 17:39	
5	BRS	L5	7	((view near2 axis) near10 (user$2 or operator$2) near5 (prefer$5 or desir$2 or select$5))	US-PGPUB; USPAT	2007/07/05 18:13	
6	BRS	L6	6	5 and (multidimension$2 or multi-dimension$2 or three-dimension$2 or (three near1 dimension$2))	US-PGPUB; USPAT	2007/07/05 17:44	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	1	1 and faceplate	US-PGPUB; USPAT	2007/07/05 17:44	
8	BRS	L8	24	1 and (disk$1 or faceplate$1)	US-PGPUB; USPAT	2007/07/05 17:46	
9	BRS	L9	1	"5995283".pn.	US-PGPUB; USPAT	2007/07/05 17:48	
10	BRS	L10	0	((view$3 or observ$6) near3 prefer$5) same faceplate same (user$2 or person$2 or individual$2 or operator$2) same (axis or orientation$1)	US-PGPUB; USPAT	2007/07/05 17:52	
11	BRS	L11	1771	view$3 same (axis or perspective$2) same (volume or voxel$1) same imag$3	US-PGPUB; USPAT	2007/07/05 17:54	
12	BRS	L12	469	11 same (multidimension$2 or multi-dimension$2 or three-dimension$2 or (three near1 dimension$2))	US-PGPUB; USPAT	2007/07/05 17:56	
13	BRS	L13	19	12 same (data near3 point$1)	US-PGPUB; USPAT	2007/07/05 18:14	
14	BRS	L14	0	13 and ((view near2 axis) near10 (user$2 or operator$2))	US-PGPUB; USPAT	2007/07/05 18:13	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	L15	1	"20050114831".pn.	US-PGPUB; USPAT	2007/07/05 18:14	
16	BRS	L16	0	15 and operator$2	US-PGPUB; USPAT	2007/07/05 18:14	
17	BRS	L17	3	volume same ((view$3 near2 (axis or orientation or angle or direction$1)) near10 ((user$2 or operator$2) near2 (prefer$5 or desire$2)))	US-PGPUB; USPAT	2007/07/05 18:16	

Google

| three dimensional operator selected view axis | | Search | Advanced Search |
Preferences

Web   Results **1 - 10** of about **1,400,000** for <u>three dimensional **operator** selected **view** axis</u>. **(0.10** seconds)

System for two **dimensional** and **three dimensional** imaging of ...
(b) displaying the **three dimensional** image for a **view** of either the first .... at **view** points
selected by a clinician through use of the **operator**-actuated ...
www.patentstorm.us/patents/5891030-claims.html - 40k - Cached - Similar pages

Three-dimensional image shading method using volume rendering of ...
setting an orthogonal **three-dimensional** coordinate system of x-**axis**, y-**axis** and z-**axis** ...
three-dimensional image by the **operator** and inputting values of . ...
www.patentstorm.us/patents/5617521-claims.html - 19k - Cached - Similar pages
[More results from www.patentstorm.us]

Method and apparatus for locating a point in a **three-dimensional** ...
Thus, the **operator selected** position is displayed in every **view** as the latter ... a given **axis**
are generated, and the two-**dimensional view** within this set ...
www.freepatentsonline.com/4580054.html - 56k - Cached - Similar pages

Method of positioning a radiographic device - Patent 6424731
1 is a two-**dimensional view** of a **three-axis** radiology device which can be used ... angles
of incidence of the two-**dimensional view selected** by the **operator**, ...
www.freepatentsonline.com/6424731.html - 31k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Journal of Vascular and Interventional Radiology : **Three** ...
Three-dimensional Rotational Angiography: Introduction of an Adjunctive Tool .... (a) Initial
DSA image (anteroposterior **view**) of the celiac **axis** shows a ...
linkinghub.elsevier.com/retrieve/pii/S1051044307607258 - Similar pages

International Congress Series : Semi-automatic surface detection ...
Real-time **three-dimensional** (RT3D) echocardiography, which does not rely on
geometrical .... The **operator** manually **selected** two points at the same depth, ...
linkinghub.elsevier.com/retrieve/pii/S0531513104004881 - Similar pages

[PDF] Tracking of Left Ventricular Long **Axis** From Real-Time **Three** ...
File Format: PDF/Adobe Acrobat
W(x) is a **three-dimensional** window that gives more relevance .... **operator** manually
selected the LA for each frame throughout. the cardiac cycle. ...
ieeexplore.ieee.org/iel5/4233/33276/01573719.pdf?arnumber=1573719 - Similar pages

Three-dimensional Rotational Angiography: Introduction of an ...
Three-dimensional (3D) RA imaging is a relatively new modality used in .... (a) Initial DSA
image (anteroposterior **view**) of the celiac **axis** shows a dilated ...
www.jvir.org/cgi/content/full/16/9/1241 - Similar pages

[PDF] **Three-dimensional** Rotational Angiography: Introduction of an ...
File Format: PDF/Adobe Acrobat
Three-dimensional (3D) RA imag-. ing is a relatively new modality used .... image
(anteroposterior **view**) of the celiac **axis** shows a dilated ...
www.jvir.org/cgi/reprint/16/9/1241.pdf - Similar pages

Three-dimensional cardiac anatomy and function in heart disease in ...

... **operator-selected** oblique sections in space (for example, long-**axis** and ... Clinically useful **three-dimensional** dynamic imaging data can be acquired ...
www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&
db=PubMed&list_uids=4039781&dopt=Abstract - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

three dimensional operator selected [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

three dimensional operator selected view axis | Search | Advanced Search
Preferences

Web   Results **11 - 20** of about **1,400,000** for **three dimensional operator selected view axis**. (**0.05** seconds)

Fast Measurement of Left Ventricular Mass With Real-Time **Three ...**
For both apical views, end-diastolic frames were **selected** as those captured ... The short-
axis view displayed in a blue box (Figure 2, bottom left) could be ...
circ.ahajournals.org/cgi/content/full/110/13/1814 - Similar pages

LINKWINDS TOOLS
2AxisRotator - The 2AxisRotator rotates **three dimensional** applications about the X ....
The slice may be from any **view axis** of Image or from the Combine or ...
downloads.openchannelsoftware.org/LinkWinds/doc/tools.html - 21k -
Cached - Similar pages

[PDF] **Three-dimensional** dynamic x-ray-computed tomography imaging of ...
File Format: PDF/Adobe Acrobat
view directly (16). RESULTS. **Three-dimensional** stomach shape and volume mea-.
surements. .... The long **axis** of the stomach was determined. by the. **operator** ...
ajpgi.physiology.org/cgi/reprint/247/5/G574.pdf - Similar pages

Three-dimensional Ultrasonography in Gynecology: Technical Aspects ...
B, Sagittal **view** through the uterus showing the distension in this **axis**. .... the transducer
elements automatically sweep through the **operator-selected** ...
www.jultrasoundmed.org/cgi/content/full/22/11/1249 - Similar pages

[PDF] **Three-Dimensional** Fetal Echocardiography:
File Format: PDF/Adobe Acrobat
Figure 1 Acquisition method for **three-dimensional** echocar-. diography. .... nal short **axis**
view. The images on the left are gated, and ...
www.jultrasoundmed.org/cgi/reprint/17/7/451.pdf - Similar pages

(IUCr) **Three-dimensional** graphical models of molecules and a time ...
With the zoom feature, only those atoms within an **operator-selected** volume ... This **three-**
dimensional stereo **view** appearing on a color television monitor is ...
dx.doi.org/10.1107/S0021889870006489 - Similar pages

[PDF] **Three-dimensional** imaging of solid breast tumors with ultrasound ...
File Format: PDF/Adobe Acrobat
of **operator-selected**. anatomical. planes, such as the equatorial ..... This **view** is reinforced
by the pathological analysis:. **Three-dimensional** ultrasound ...
www.blackwell-synergy.com/doi/pdf/10.1046/j.1469-0705.1991.01060384.x - Similar pages

[PDF] **Three-dimensional** endoluminal ultrasound
File Format: PDF/Adobe Acrobat
It can be visualized from any **selected view**-. point, in static or dynamic. .... **three-**
dimensional reconstructions of rectal wall and tu- ...
www.springerlink.com/index/R323220735632G72.pdf - Similar pages

3-D Imaging Technologies | Spring 2001 | Imaging Economics
The practicality of applying **three-dimensional** image processing methods ... can be
generated in just a few seconds with minimal **operator** intervention. ...
www.imagingeconomics.com/issues/articles/2001-04_09.asp - 46k - Cached - Similar pages

EP1280459 Paieon european software patent - System and method for ...
The method of Claim 10 further comprising a step of displaying a **view** of the **three-dimensional** reconstruction of the arterial tree from a **selected** ...
gauss.ffii.org/PatentView/EP1280459 - 52k - Cached - Similar pages

Previous 1 **2** 3 4 5 6 7 8 9 10 11   **Next**

three dimensional operator selected   [Search]

Search within results | Language Tools | Search Tips

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

| ·three dimensional operator selected view axis | Search | Advanced Search / Preferences |

Web   Results **21 - 30** of about **1,400,000** for **three dimensional operator selected view axis**. **(0.06** seconds)

Paraplane Analysis From Precordial 3-D Echocardiographic Data
Three-dimensional echocardiography was performed in 40 subjects with no ... After the
long-**axis view** of the left ventricle was **selected** from the volumetric ...
www.medscape.com/**view**article/417663_2 - Similar pages

Three-dimensional evaluation of the mitral valve area and ...
Three-dimensional (3D) echocardiography is a relatively recent imaging technique .....
Parasternal short-**axis view** from ventricular perspective, en face, ...
eurheartj.oxfordjournals.org/cgi/content/full/28/1/72 - Similar pages

Three dimensional echocardiography for the assessment of mitral ...
Three dimensional echocardiography (3DE) has been shown to be more accurate ... short
axis slice in the optimum plane of the orifice to be **selected** from the ...
heart.bmjjournals.com/cgi/content/full/84/suppl_2/ii7 - Similar pages

[PDF] ABSTRACT 1. INTRODUCTION AND BACKGROUND
File Format: PDF/Adobe Acrobat - View as HTML
line the apical and basal limits in the **selected·view**. ... **Three dimensional** morphological
techniques and least square fitting algorithms are then ...
ftp://ftp.cc.gatech.edu/pub/gvu/tr/1992/92-14.pdf - Similar pages

TALOSS: Three-Dimensional Advanced Localization Observation ...
The lower-left corner of the 3-D display contains **three** scene interaction controls. The Rotx
dolly rotates the scene about an imaginary x-**axis** running ...
www.linuxjournal.com/article/6978 - 33k - Cached - Similar pages

Accurate Measurement of Left Ventricular Ejection Fraction by ...
At a slice thickness of 15 mm, the probability of **three-dimensional** echocardiography to ....
After the long-**axis view** of the left ventricle was **selected**, ...
circ.ahajournals.org/cgi/content/full/94/3/460 - Similar pages

[PDF] Three-Dimensional Representation of Curved Nanostructures Z. Huang ...
File Format: PDF/Adobe Acrobat
A parallax method to reconstruct the correct **three-dimensional** geometry of such 1D ...
projection, if the **view** direction is along z-**axis** and a NW is rotated ...
www.mrs.org/s_mrs/bin.asp?CID=2672&DID=67645&DOC=FILE.PDF - Similar pages

Assessment of the Mitral Valve Area in Patients With Mitral ...
Visualization of the parasternal short **axis view**. .... Real-time **three-dimensional**
echocardiography for rheumatic mitral valve stenosis evaluationan ...
content.onlinejacc.org/cgi/content/full/48/2/411 - Similar pages

> ### Assessment of the Mitral Valve Area in Patients With Mitral ...
> The MSCT allows a **three-dimensional** acquisition of the entire heart throughout ... diastole
> by one experienced **operator**, in the parasternal short-**axis view**, ...
> content.onlinejacc.org/cgi/content/full/j.jacc.2006.04.035v1 - Similar pages

[PDF] Three-Dimensional Graphical Models of Molecules and a Time-Slicing ...

File Format: PDF/Adobe Acrobat

operator-selected volume elements are displayed. This **...** This **three-dimensional** stereo
view appearing on a color television monitor is a **...**
journals.iucr.org/j/issues/1970/05/00/a07794/a07794.pdf - Similar pages

three dimensional operator selected | Search |

Search within results | Language Tools | Search Tips